

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

James F. Brennan, III, Diann A. Sloan,
Maureen T. Fahey and James C. Novack

Group Art Unit: 1731

Serial No.: Unknown

Filed: September 20, 2001

Examiner: Unknown

For: ACCELERATED METHOD FOR
INCREASING THE PHOTSENSITIVITY
OF A GLASSY MATERIAL

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on:

September 21, 2001
Date

Sandra Barnett
Signature

PRELIMINARY COMMUNICATION

Commissioner for Patents
Washington, DC 20231

Dear Sir:

REMARKS


The present case is a continuation of allowed U. S. Application Serial No. 09/616,117. All claims are supported by the text of the specification. Support for claims 1, 4, and 7 may be found, for example, in Figure 6. Support for claims 2, 5, and 8 may be found, for example, in Figure 3. Support for claims 3, 6, and 9 may be found in page 18 of the specification.

The Applicants believe that the fee in the amount of \$710.00 as found on the Transmittal Sheet is necessary in relation with the filing of the present communication. If the Applicants are mistaken, the Applicants hereby authorize the Commissioner to deduct any additionally required fees from or credit any overpayment to Deposit Account 13-3723.

If there are any matters that may be resolved or clarified through a telephone interview, the Applicants' Attorney makes himself available at the telephone number listed below. Alternately, the Examiner may fax communications directly to the Applicants' Attorney at the facsimile number listed below.

Respectfully submitted,

Registration Number 39,460	Telephone Number 512-984-7443
Date September 21, 2001	

By 
Néstor F. Ho

Office of Intellectual Property Counsel
3M Innovative Properties Company
P.O. Box 33427
St. Paul, Minnesota 55133-3427
Facsimile: (651) 736-3833
Austin Facsimile: (512) 984-2020

TELETYPE UNIT